# **GYTS Objectives**

The Global Youth Tobacco Survey (GYTS), a component of the Global Tobacco Surveillance System (GTSS), is a global standard for systematically monitoring youth tobacco use and tracking key tobacco control indicators.

GYTS is a cross-sectional, nationally representative school-based survey of students in grades associated with ages 13 to 15 years. GYTS uses a standard core questionnaire, sample design, and data collection protocol. It assists countries in fulfilling their obligations under the World Health Organization (WHO) Framework Convention on Tobacco Control (FCTC) to generate comparable data within and across countries. WHO has developed MPOWER, a technical package of selected demand reduction measures contained in the WHO FCTC:



Monitor tobacco use & prevention policies

Protect people from tobacco smoke

Offer help to guit tobacco use

Warn about the dangers of tobacco

Enforce bans on tobacco advertising, promotion, & sponsorship

Raise taxes on tobacco

# **GYTS Methodology**

GYTS uses a global standardized methodology that includes a two-stage sample design with schools selected with a probability proportional to enrollment size. The classes within selected schools are chosen randomly and all students in selected classes are eligible to participate in the survey. The survey uses a standard core questionnaire with a set of optional questions that countries can adapt to measure and track key tobacco control indicators. The questionnaire covers the following topics: tobacco use (smoking and smokeless), cessation, secondhand smoke (SHS), pro- and anti-tobacco advertising and promotion, access to and availability of tobacco products, and knowledge and attitudes regarding tobacco use. The questionnaire is selfadministered; using scannable paper-based bubble sheets, it is anonymous to ensure confidentiality.

In Solomon Islands, GYTS was conducted in 2023 by the Ministry of Health and Medical Services, and the Ministry of Education and Human Resources Development. The overall response rate was 75.2%. A total of 1,997 eligible students in Forms 1-6 in primary and secondary schools completed the survey, of which 704 were aged 13-15 years. Data are reported for students aged 13-15 years.

# **GYTS Highlights**

## **TOBACCO USE**

- 25.7% of students, 35.3% of boys, and 17.8% of girls • currently used any tobacco products.
- 20.6% of students, 28.3% of boys, and 14.3% of girls • currently smoked tobacco.
- 19.8% of students, 28.5% of boys, and 12.8% of girls • currently smoked cigarettes.
- 13.0% of students, 17.9% of boys, and 9.1% of girls currently used smokeless tobacco.

### **ELECTRONIC CIGARETTES**

• 7.0% of students, 9.8% of boys, and 4.2% of girls currently used electronic cigarettes.

## **CESSATION**

- More than 8 in 10 (84.7%) students who currently • smoked tobacco tried to stop smoking in the past 12 months.
- More than 8 in 10 (83.8%) students who currently smoked tobacco wanted to stop smoking now.

### SECONDHAND SMOKE

- 61.3% of students were exposed to tobacco smoke at • home.
- 68.3% of students were exposed to tobacco smoke inside enclosed public places.

## **ACCESS & AVAILABILITY**

- 38.6% of students who currently smoked cigarettes • bought cigarettes from a store, canteen, kiosk, shop, or street vendor.
- Among students who currently smoked cigarettes who • tried to buy cigarettes, 51.8% were not prevented from buying them because of their age.

## **ADVERTISING & PROMOTION**

- More than 4 in 10 (42.6%) students noticed anti-tobacco • messages in the media.
- Almost 6 in 10 (58.4%) students noticed tobacco advertisements or promotions when visiting points of sale.
- More than 1 in 10 (12.9%) students had something with a tobacco brand logo on it.

## **KNOWLEDGE & ATTITUDES**

- 43.5% of students definitely thought other people's • tobacco smoking is harmful to them.
- 48.1% of students favored prohibiting smoking inside • enclosed public places.










# GYTS GLOBAL YOUTH TOBACCO SURVEY

# FACT SHEET SOLOMON ISLANDS 2023

### **TOBACCO USE**

ANY TOBACCO USE (smoked and/or smokeless)	OVERALL (%)	BOYS (%)	GIRLS (%)
Current tobacco users <sup>1</sup>	25.7	35.3	17.8*
Ever tobacco users <sup>2</sup>	41.6	50.9	33.9*
SMOKED TOBACCO			
Current tobacco smokers <sup>3</sup>	20.6	28.3	14.3*
Current cigarette smokers <sup>4</sup>	19.8	28.5	12.8*
Frequent cigarette smokers <sup>5</sup>	2.8	5.1	1.1*
Current smokers of other tobacco <sup>6</sup>	8.1	11.3	5.6*
Ever tobacco smokers <sup>7</sup>	34.8	45.1	26.6*
Ever cigarette smokers <sup>8</sup>	29.8	40.1	21.8*
Ever smokers of other tobacco <sup>9</sup>	18.3	25.1	12.9*
SMOKELESS TOBACCO			
Current smokeless tobacco users <sup>10</sup>	13.0	17.9	9.1
Ever smokeless tobacco users <sup>11</sup>	23.9	26.4	21.6
SUSCEPTIBILITY			
Never to bacco users susceptible to to bacco use in the future $^{\rm 12}$	28.7	32.8	26.0



### **ELECTRONIC CIGARETTES**

	OVERALL (%)	BOYS (%)	GIRLS (%)
Current electronic cigarette users <sup>13</sup>	7.0	9.8	4.2
Ever electronic cigarette users14	16.8	22.5	12.5*

### **CESSATION**

	OVERALL (%)	BOYS (%)	GIRLS (%)
Current tobacco smokers who tried to stop smoking in the past 12 months	84.7	87.3	79.5
Current tobacco smokers who wanted to stop smoking now	83.8	77.6	90.5
Current tobacco smokers who thought they would be able to stop smoking if they wanted to	90.1	91.4	87.6
Current tobacco smokers who have ever received help/advice from a program or professional to stop smoking	30.7	28.5	34.0

### **SECONDHAND SMOKE**

	OVERALL (%)	BOYS (%)	GIRLS (%)
Exposure to tobacco smoke at home <sup>15</sup>	61.3	62.8	59.8
Exposure to tobacco smoke inside any enclosed public place <sup>15</sup>	68.3	66.6	69.5
Exposure to tobacco smoke at any outdoor public place <sup>15</sup>	65.0	65.4	64.4
Students who saw anyone smoking inside the school building or outside on school property <sup>16</sup>	57.4	59.2	56.2

## **ACCESS & AVAILABILITY**

	OVERALL (%)	BOYS (%)	GIRLS (%)
Current cigarette smokers who bought cigarettes from a store, canteen, kiosk, shop, or street vendor <sup>17</sup>	38.6	38.3	41.6
Current cigarette smokers who were not prevented from buying cigarettes because of their age <sup>18</sup>	51.8	50.1	53.0
Current cigarette smokers who bought cigarettes as individual sticks <sup>19</sup>	50.8	50.6	52.7

# ADVERTISING & PROMOTION

TOBACCO ADVERTISING & PROMOTION	OVERALL (%)	BOYS (%)	GIRLS (%)
Students who noticed to bacco advertisements or promotions at points of $\mbox{sale}^{20}$	58.4	60.7	56.3
Students who saw anyone using tobacco on television, videos, or movies <sup>21</sup>	71.0	71.2	71.6
Students who were ever offered a free tobacco product from a tobacco company representative	12.3	12.9	11.5
Students who had something with a tobacco brand logo on it	12.9	16.1	10.6
ANTI-TOBACCO ADVERTISING & PROMOTION			
Students who noticed anti-tobacco messages in the media $^{16}$	42.6	41.2	43.6
Students who noticed anti-tobacco messages at sporting or community events <sup>22</sup>	54.1	54.3	54.1
Current tobacco smokers who thought about quitting because of a warning label <sup>23</sup>	54.6	58.6	46.7
Students who were taught in school about the dangers of tobacco use in the past 12 months	39.1	40.5	38.2

### **KNOWLEDGE & ATTITUDES**

	OVERALL (%)	BOYS (%)	GIRLS (%)
Students who definitely thought it is difficult to quit once someone starts smoking tobacco	25.2	24.1	26.6
Students who thought smoking tobacco helps people feel more comfortable at celebrations, parties, and social gatherings	28.4	27.3	29.5
Students who definitely thought other people's tobacco smoking is harmful to them	43.5	40.7	46.6
Students who favored prohibiting smoking inside enclosed public places	48.1	49.6	47.5
Students who favored prohibiting smoking at outdoor public places	46.0	46.6	45.7

<sup>1</sup> Smoked cigarettes, smoked other type of tobacco, and/or used smokeless tobacco anytime during the past 30 days. <sup>2</sup> Ever smoked tobacco and/or used smokeless tobacco. <sup>3</sup> Smoked cigarettes or other type of tobacco anytime during the past 30 days. <sup>4</sup> Smoked cigarettes anytime during the past 30 days. <sup>5</sup> Smoked cigarettes anytime during the past 30 days. <sup>5</sup> Smoked cigarettes anytime during the past 30 days. <sup>6</sup> Smoked cigarettes anytime during the past 30 days. <sup>7</sup> Ever smoked cigarettes or other type of tobacco, even one or two puffs. <sup>8</sup> Ever smoked cigarettes, even one or two puffs. <sup>9</sup> Ever smoked tobacco other than cigarettes, even one or two puffs. <sup>10</sup> Used smokeless tobacco anytime during the past 30 days. <sup>11</sup> Ever used smokeless tobacco. <sup>12</sup> Susceptible to future tobacco use includes those who answered "definitely yes", "probably yes", or "probably not" to using tobacco during the next 12 months. <sup>13</sup> Used electronic cigarettes, other smoked tobacco products, and smokeless tobacco products and is not included in the current definition of current any tobacco use. <sup>14</sup> Ever used electronic cigarettes in their entire life. <sup>15</sup> During the past 30 days. <sup>19</sup> Based on the last purchase, among those who bught cigarettes during the past 30 days. <sup>19</sup> Based on the last purchase, among those who bught cigarettes during the past 30 days. <sup>13</sup> Among those who watched television, videos, or movies in the past 20 days. <sup>24</sup> Among those who watched sporting or community events in the past 30 days. <sup>23</sup> Among those who noticed warning labels on cigarette packages in the past 30 days. <sup>23</sup> Among those who noticed warning labels on cigarette packages in the past 30 days. <sup>23</sup> Among those who noticed warning labels on cigarette packages in the past 30 days. <sup>24</sup> Among those who such days in the past 30 days. <sup>23</sup> Among those who noticed warning labels on cigarette packages in the past 30 days. <sup>24</sup> Among those who anyticed and package to days. <sup>24</sup> Among those who moticed warning labels on cigarette packages i

**NOTE:** Data are weighted to be nationally representative of all students aged 13-15 years who are enrolled in school. Percentages reflect the prevalence of each indicator in each group, not the distribution across groups.

--Estimates based on unweighted cases less than 35 are not presented. \*Gender comparisons are statistically significant at p < 0.05.