Somaliland (Ages 13-15) Global Youth Tobacco Survey (GYTS)



FACT SHEET

The Somaliland GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, exposure to secondhand smoke (SHS), cessation, media and advertising, and school curriculum. These determinants are components Somaliland could include in a comprehensive tobacco control program.

The Somaliland GYTS was a school-based survey of students in primary 6-8 and secondary 1 conducted in 2007.

A two-stage cluster sample design was used to produce representative data for Somaliland. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 96%, the class response rate was 100%, the student response rate was 90.2%, and the overall response rate was 86.6%. A total of 897 students aged 13-15 participated in the Somaliland GYTS.

Prevalence

- 12.6% of students had ever smoked cigarettes (Boy = 11.0%, Girl = 10.4%)
- 15.6% currently use any tobacco product (Boy = 15.5%, Girl = 12.3%)
- 5.8% currently smoke cigarettes (Boy = 4.9%, Girl = 4.5%)
- 12.5% currently use other tobacco products (Boy = 12.7%, Girl = 9.8%)
- 24.1% of never smokers are likely to initiate smoking next year

Knowledge and Attitudes

58.4% think boys and 41.7% think girls who smoke have more friends 6.6% think boys and 7.9% think girls who smoke look more attractive

Access and Availability - Current Smokers

29.3% usually smoke at home

40.3% buy cigarettes in a store

Exposure to Secondhand Smoke (SHS)

29.1% live in homes where others smoke in their presence

48.7% are around others who smoke in places outside their home

75.4% think smoking should be banned from public places

36.7% think smoke from others is harmful to them

29.3% have one or more parents who smoke

9.1% have most or all friends who smoke

Media and Advertising

80.1% saw anti-smoking media messages, in the past 30 days

76.0% saw pro-cigarette ads on billboards, in the past 30 days

65.1% saw pro-cigarette ads in newspapers or magazines, in the past 30 days

20.1% have an object with a cigarette brand logo

17.9% were offered free cigarettes by a tobacco company representative

School

47.3% had been taught in class, during the past year, about the dangers of smoking

34.5% had discussed in class, during the past year, reasons why people their age smoke

51.2% had been taught in class, during the past year, the effects of tobacco us

Highlights

- 15.6% of students currently use any form of tobacco; 5.8% of the students currently smoke cigarettes; 12.5% currently use some other form of tobacco.
- SHS exposure is high 3 in 10 students live in homes where others smoke, and almost half of the students are exposed to smoke around others outside of the home; 3 in 10 students have one or more parents who smoke and 9.1% of students have friends who smoke.
- More than one-third of the students think smoke from others is harmful to them.
- Three-quarters of the students think smoking in public places should be banned.
- One in 5 students has an object with a cigarette brand logo on it.
- Eight in 10 students saw antismoking media messages in the past 30 days; 7 in 10 students saw pro-cigarette ads on billboards and in newspapers or magazines in the past 30 days.