Mexico - Durango (Ages 13-15) Global Youth Tobacco Survey (GYTS)	global VOUIN tobacco
FACT SHEET · · · · · · · · · · ·	survey

The Mexico - Durango GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, exposure to secondhand smoke (SHS), cessation, media and advertising, and school curriculum. These determinants are components Mexico - Durango could include in a comprehensive tobacco control program.

The Mexico - Durango GYTS was a school-based survey of students in grades 1, 2 and 3 conducted in 2005.

Prevalence

53.1% of students had ever smoked cigarettes (Boy = 57.9%, Girl = 48.0%)

24.2% currently use any tobacco product (Boy = 27.0%, Girl = 21.0%)

22.2% currently smoke cigarettes (Boy = 24.1%, Girl = 19.6%)

5.6% currently use other tobacco products (Boy = 7.0%, Girl = 4.4%)

28.0% of never smokers are likely to initiate smoking next year

Knowledge and Attitudes

23.4% think boys and 39.1% think girls who smoke have more friends 12.4% think boys and 23.9% think girls who smoke look more attractive

Access and Availability - Current Smokers

9.2% usually smoke at home

31.6% buy cigarettes in a store

54.3% who bought cigarettes in a store were NOT refused purchase because of their age

Exposure to Secondhand Smoke (SHS)

40.7% live in homes where others smoke in their presence

52.0% are around others who smoke in places outside their home

87.6% think smoking should be banned from public places

74.7% think smoke from others is harmful to them

42.6% have one or more parents who smoke

51.9% have most or all friends who smoke

Cessation - Current Smokers

62.3% want to stop smoking

55.6% tried to stop smoking during the past year

68.3% have ever received help to stop smoking

Media and Advertising

87.6% saw anti-smoking media messages, in the past 30 days

85.3% saw pro-cigarette ads on billboards, in the past 30 days

74.0% saw pro-cigarette ads in newspapers or magazines, in the past 30 days

11.8% have an object with a cigarette brand logo

9.4% were offered free cigarettes by a tobacco company representative

School

69.6% had been taught in class, during the past year, about the dangers of smoking 41.3% had discussed in class, during the past year, reasons why people their age smoke 60.8% had been taught in class, during the past year, the effects of tobacco use

Highlights

A two-stage cluster sample design was used to produce

representative data for Mexico - Durango. At the first stage,

students in selected classes were eligible to participate. The

school response rate was 100.0%, the class response rate was

100.0%, the student response rate was 83.8%, and the overall

participated in the Mexico - Durango GYTS.

response rate was 83.8%. A total of 1,468 students aged 13-15

schools were selected with probability proportional to enrollment

size. At the second stage, classes were randomly selected and all

- 24.2% of students currently use any form of tobacco; 22.2% currently smoke cigarettes; 5.6% currently use some other form of tobacco.
- SHS exposure is high 2 in 5 students live in homes where others smoke, and over half the students are exposed to smoke around others outside of the home; more than 2 in 5 students have at least one parent who smokes.
- Three-quarters of the students think smoke from others is harmful to them.
- Close to 9 in 10 students think smoking in public places should be banned.
- Over 3 in 5 current smokers want to stop smoking.
- One in 8 students has an object with a cigarette brand logo on it.
- Nearly 9 in 10 students saw anti-smoking media messages in the past 30 days; over 8 in 10 students saw pro-cigarette ads on billboards and three-quarters saw pro-tobacco ads in newspapers or magazines in the past 30 days.