Togo (Ages 13-15)	global
Global Youth Tobacco Survey (GYTS)	youth tobacco
FACT SHEET · · · · · · · · · · · ·	survey

The Togo GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, exposure to secondhand smoke (SHS), cessation, media and advertising, and school curriculum. These determinants are components Togo could include in a comprehensive tobacco control program.

The Togo GYTS was a school-based survey of students in 6ème, 5ème, 4ème, and 3ème conducted in 2007.

A two-stage cluster sample design was used to produce representative data for all of Togo. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 100.0%, the class response rate was 98.3%, the student response rate was 91.5%, and the overall response rate was 89.9%. A total of 1,947 students aged 13-15 participated in the Togo GYTS.

#### Prevalence

12.6% of students had ever smoked cigarettes (Boy = 17.4%, Girl = 5.4%)

- 14.0% currently use any tobacco product (Boy = 17.7%, Girl = 7.9%)
- 6.2% currently smoke cigarettes (Boy = 9.1%, Girl = 1.7%)
- 10.4% currently use other tobacco products (Boy = 12.1%, Girl = 7.4%)
- 9.1% of never smokers are likely to initiate smoking next year

#### Knowledge and Attitudes

18.2% think boys and 14.6% think girls who smoke have more friends 14.6% think boys and 13.4% think girls who smoke look more attractive

### Access and Availability - Current Smokers

35.7% usually smoke at home 22.1% buy cigarettes in a store

## Exposure to Secondhand Smoke (SHS)

- 20.2% live in homes where others smoke in their presence 41.6% are around others who smoke in places outside their home 86.2% think smoking should be banned from public places 54.7% think smoke from others is harmful to them
- 11.4% have one or more parents who smoke
- 3.7% have most or all friends who smoke

#### **Cessation - Current Smokers**

78.5% want to stop smoking60.7% tried to stop smoking during the past year91.2% have ever received help to stop smoking

## Media and Advertising

- 40.0% saw anti-smoking media messages, in the past 30 days
- 42.7% saw pro-cigarette ads on billboards, in the past 30 days
- 29.5% saw pro-cigarette ads in newspapers or magazines, in the past 30 days
- 24.8% have an object with a cigarette brand logo
- 6.8% were offered free cigarettes by a tobacco company representative

## School

44.2% had been taught in class, during the past year, about the dangers of smoking 18.9% had discussed in class, during the past year, reasons why people their age smoke 35.2% had been taught in class, during the past year, the effects of tobacco use

# Highlights

- 14.0% of students currently use any form of tobacco; 6.2% currently smoke cigarettes; 10.4% currently use some other form of tobacco.
- SHS indicates Two in 10 students live in homes where others smoke in their presence; over 2 in 5 are exposed to smoke in public places; more than 1 in 10 have one or more parents who smoke.
- Over half of the students think smoke from others is harmful to them.
- Nearly 9 in 10 students think smoking in public places should be banned.
- One-quarter of the students have an object with a cigarette brand logo on it.
- Four in 10 students saw antismoking media messages in the past 30 days; over two-thirds of the students saw pro-cigarette ads on billboards and in newspapers or magazines in the past 30 days.